

Menesio Ataskaita:



Lapas 1 is 2

Akmenes Cementas			Diena (data):				Jan/25		Spausdinimo data: 01/02/25		
Diena	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5	
	KD	CO	NOx	SO2	BOA	HCL	HF	NH3	O2		
	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	%		
	RV: 20	RV: 1500	RV: 500	RV: 400	RV: 60	RV: 10	RV: 1	RV: 30			
01/01/2025	3.74	456.15	273.03	316.19	2.95	1.61	0.23	0.00	14.26		
02/01/2025	3.69	489.20	262.99	331.63	3.38	1.05	0.41	0.00	13.75		
03/01/2025	4.09	517.50	296.27	338.93	3.56	2.03	0.41	0.00	13.80		
04/01/2025	3.74	503.03	289.78	302.48	X 3.10	1.55	0.46	0.00	13.74		
05/01/2025	3.63	X 426.88	X 268.37	X 350.05	X 1.67	X 2.09	X 0.07	X 0.00	13.59		
06/01/2025	3.54	409.18	261.84	367.27	0.89	2.16	0.07	0.00	13.50		
07/01/2025	3.66	431.97	258.36	359.35	X 0.90	1.99	0.23	0.00	13.53		
08/01/2025	4.09	453.82	271.22	311.48	X 0.00	0.66	0.09	0.00	13.77		
09/01/2025	4.56	453.64	267.84	310.99	X 0.00	2.37	0.10	0.00	13.74		
10/01/2025	4.60	506.03	272.76	304.74	X 0.00	2.32	0.05	0.00	13.70		
11/01/2025	5.07	616.01	274.52	292.13	X 0.00	2.62	0.03	0.00	13.72		
12/01/2025	5.57	644.77	256.07	323.02	X 0.00	2.65	0.03	0.00	13.64		
13/01/2025	6.03	636.23	249.22	324.59	X 0.00	2.00	0.10	0.00	13.61		
14/01/2025	6.25	X 495.68	X 290.38	X 360.09	X 38.47	X 2.04	X 0.08	X 0.00	13.81		
15/01/2025	11.56	453.87	285.37	483.42	35.20	8.91	0.27	15.06	13.58		
16/01/2025	4.69	456.03	292.63	372.56	30.73	1.57	0.31	0.00	14.02		
17/01/2025	4.27	460.83	311.35	368.74	30.17	3.20	0.13	0.00	13.82		
18/01/2025	4.38	460.02	308.11	386.34	X 28.71	4.26	0.08	0.00	13.89		
19/01/2025	4.73	528.15	290.55	359.26	43.06	3.04	0.10	0.00	13.87		
20/01/2025	5.06	594.37	262.04	336.24	48.93	3.33	0.16	0.00	13.86		
21/01/2025	5.05	579.13	276.29	339.19	X 44.20	1.53	0.15	0.00	13.77		
22/01/2025	4.59	489.63	285.16	352.72	30.83	0.93	0.14	0.00	13.77		
23/01/2025	3.84	456.36	320.25	337.63	X 28.54	0.36	0.18	0.00	13.70		
24/01/2025	3.83	X 462.85	X 312.77	X 343.63	X 44.76	X 0.82	X 0.06	X 0.00	13.72		
25/01/2025	3.89	484.62	268.76	345.05	45.43	0.92	0.10	0.00	13.61		
26/01/2025	4.16	492.74	279.73	352.08	39.45	1.51	0.20	0.00	13.62		
27/01/2025	4.03	463.23	263.08	358.88	32.08	1.08	0.06	0.00	13.72		
28/01/2025	4.06	439.62	270.90	379.40	29.06	0.53	0.19	0.00	13.67		
29/01/2025	4.73	447.23	273.07	385.42	28.82	0.35	0.03	0.00	13.69		
30/01/2025	12.66	426.69	300.91	520.95	X 28.00	4.10	0.20	8.86	13.60		
31/01/2025	5.32	431.20	295.48	415.20	26.87	3.96	0.21	5.00	13.67		
Min	3.54	409.18	249.22	292.13	0.00	0.35	0.03	0.00	13.50		
Max	12.66	644.77	320.25	520.95	48.93	8.91	0.46	15.06	14.26		
MAV	4.95	489.74	280.18	356.27	25.86	2.19	0.16	0.96	13.73		
Emi	1769.61	133713.78	86009.03	109353.63	6215.39	891.71	65.00	383.90			
Pastabos:	N = No Data D = >DLV X = no DAV - = Out of operation										

Menesio Ataskaita:



Akmenes Cementas			Diena (data): Jan/25				Spausdinimo data: 01/02/25		
Diena	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5		
	Temp	Delta_P	V_norm	H2O	P_kamine	P_atmosf	T-ikt		
	°C	mbar	Nm3/h	% H2O	hPa	hPa	°C		
01/01/2025	108.43	1.27	307669.22	10.79	974.98	998.69	D 913.98		
02/01/2025	109.08	1.29	326049.56	11.81	969.39	998.41	D 934.53		
03/01/2025	109.81	1.34	337186.34	11.47	972.78	998.58	D 913.41		
04/01/2025	107.85	1.30	341181.19	11.42	979.28	998.92	D 896.63		
05/01/2025	109.91	1.30	347906.84	11.88	984.07	999.16	D 884.10		
06/01/2025	108.42	1.29	338438.44	11.81	977.83	998.84	D 880.45		
07/01/2025	110.11	1.30	337457.91	11.80	974.10	998.64	D 901.19		
08/01/2025	108.40	1.32	331031.41	12.11	974.41	998.65	D 893.58		
09/01/2025	110.34	1.33	336784.56	11.86	979.29	998.90	D 884.08		
10/01/2025	111.73	1.31	332557.69	11.91	971.48	998.51	D 901.94		
11/01/2025	112.02	1.32	333766.94	11.90	978.33	998.85	D 922.40		
12/01/2025	112.26	1.31	338808.97	11.89	994.57	999.68	D 896.89		
13/01/2025	114.00	1.33	346138.78	11.67	1008.42	1000.38	D 910.95		
14/01/2025	112.15	1.34	356888.00	12.00	993.56	999.66	D 959.93		
15/01/2025	145.95	1.30	333678.03	9.31	999.08	999.90	D 905.53		
16/01/2025	112.18	1.38	340737.66	11.56	1002.32	1000.07	D 935.37		
17/01/2025	110.56	1.34	338430.84	11.98	1002.68	1000.08	D 1047.65		
18/01/2025	109.64	1.34	335695.22	12.00	1001.66	1000.03	D 1048.37		
19/01/2025	109.59	1.34	336741.94	12.06	1000.53	999.97	D 1070.40		
20/01/2025	108.28	1.34	336598.16	12.18	1001.19	999.99	D 1053.17		
21/01/2025	107.44	1.33	338500.13	12.15	995.00	999.69	D 1064.64		
22/01/2025	107.26	1.33	337865.09	12.22	992.14	999.54	D 1019.23		
23/01/2025	104.50	1.32	339302.09	12.15	986.89	999.27	D 970.60		
24/01/2025	105.48	1.32	354895.09	11.95	986.97	999.26	D 944.36		
25/01/2025	107.08	1.31	337831.22	12.11	984.58	999.15	D 1032.33		
26/01/2025	109.09	1.31	337963.22	11.98	985.19	999.18	D 991.45		
27/01/2025	107.28	1.33	339689.66	11.81	981.26	998.98	D 995.62		
28/01/2025	108.80	1.32	336307.13	12.16	980.92	998.96	D 1071.72		
29/01/2025	108.97	1.33	339272.75	11.95	979.83	998.91	D 992.99		
30/01/2025	148.13	1.30	329662.03	9.23	989.04	999.37	D 933.09		
31/01/2025	120.12	1.33	339717.03	11.10	993.41	999.59	D 1009.46		
Min	104.50	1.27	307669.22	9.23	969.39	998.41	880.45		
Max	148.13	1.38	356888.00	12.22	1008.42	1000.38	1071.72		
MAV	112.09	1.32	337572.50	11.68	986.94	999.28	960.75		

Pastabos: N = No Data D = >DLV X = no DAV - = Out of operation