



Akmenės Cementas		Diena (data):					31.01.2026				Spausdinimo data:		01.02.2026	
Laikas	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5		
	KD	CO	NOx	SO2	BOA	HCL	HF	NH3	O2					
	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	vol.%		
	RV: 20	RV: 1500	RV: 500	RV: 400/900*	RV: 60	RV: 10/20*	RV: 1	RV: 30						
01.01.2026	NVV	0	NVV	0	NVV	0	NVV	0	NVV	0	NVV	0	NVV	0
02.01.2026	NVV	0	NVV	0	NVV	0	NVV	0	NVV	0	NVV	0	NVV	0
03.01.2026	NVV	0	NVV	0	NVV	0	NVV	0	NVV	0	NVV	0	NVV	0
04.01.2026	NVV	0	NVV	0	NVV	0	NVV	0	NVV	0	NVV	0	NVV	0
05.01.2026	NVV	0	NVV	0	NVV	0	NVV	0	NVV	0	NVV	0	NVV	0
06.01.2026	NVV	0	NVV	0	NVV	0	NVV	0	NVV	0	NVV	0	NVV	0
07.01.2026	NVV	0	NVV	0	NVV	0	NVV	0	NVV	0	NVV	0		12.9
08.01.2026		4.68	294.42	429.63	315.48	21.71	5.74	0.08		1.49				13.67
09.01.2026		4.01	281.08	433	413.28	21.74	10.04	0.37		1.49				13.61
10.01.2026		3.79	274.89	441.6	446.9	21.92	6.03	0.21		1.45				13.52
11.01.2026		3.88	247.96	442.01	442.09	19.87	>DL 10.55	0.8		1.44				13.49
12.01.2026		4.04	218.09	441.25	376.25	17.67	>DL 13.03	1.12		1.52				13.78
13.01.2026		4.1	196.63	442.98	265.31	15.93	5.39	0.33		1.55				13.99
14.01.2026		5.08	191.76	474.94	227.26	15.44	4.43	0.16		1.64				13.9
15.01.2026		5.07	219.57	413.06	370.07	18.39	8.5	0.92		1.48				13.7
16.01.2026		5.61	240.5	395.74	422.46	19.16	5.45	0.3		1.56				14.09
17.01.2026		5.68	221.38	426.83	387.22	17.9	4.4	0.22		1.69				14.84
18.01.2026		3.56	INV	INV	INV	INV	INV	0.15		0.84	INV			
19.01.2026		7.77	160.03	369.99	364.08	15.79	>DL 12.23	INV		11.33				14.04
20.01.2026		5.31	220.48	378.44	510.54	17.91	9.57	0.87		1.56				14.41
21.01.2026		5.87	244.91	387.09	405.05	20.15	7.76	0.25		2.44				14.52
22.01.2026		5.28	248.36	387.85	545.88	19.82	>DL 15.59	0.41		2.23				14.22
23.01.2026		7.96	274.34	382.89	733.48	21.77	>DL 22.62	0.8		3				14.28
24.01.2026		6.47	250.58	392.3	451.76	19.66	6.79	0.69		1.7				14.5
25.01.2026		6.91	197.28	388.44	397.59	16.78	>DL 16.48	1.02		1.85				14.33
26.01.2026		6.15	215.18	391.49	320.69	17.98	6.38	0.53		1.72				14.44
27.01.2026		5.82	213.46	390.92	298.11	17.47	4	0.19		1.63				14.3
28.01.2026		6.26	232.38	385.27	478.32	19.44	5.59	0.2		1.56				14.32
29.01.2026		6.17	215.67	395.08	396.29	18.13	5.1	0.26		1.58				14.09
30.01.2026		6.34	235.68	390.53	443.61	20.88	>DL 18.34	INV		1.65				14.36
31.01.2026		6.43	210.33	392.04	411.38	17.16	5.61	0.17		1.83				14.37
Min		3.56	160.03	369.99	227.26	15.44	4	0.08		0.84				12.9
Max		7.96	294.42	474.94	733.48	21.92	22.62	1.12		11.33				14.84
MAV		5.46	230.35	409.11	404.14	18.72	9.12	0.47		2.02				14.08
		kg/menesi	kg/menesi	kg/menesi	kg/menesi	kg/menesi	kg/menesi	kg/menesi		kg/menesi				
Emi		1214.15	46678.04	84071.4	84186.14	3795.91	2038.15	91.99		549.44				

Values daily averages - States (Legend):

1st - sign - Installation status
G - Operation
X - Installation stoped

*Neatitiktinės sąlygos (žaliavų malūno sustojimas):
2026-01-19;
2026-01-22;
2026-01-30

SO2 RV-600 mg/Nm3 iki 2026-12-31



Akmenes Cementas		Diena (data): 28.02.2026					Spausdinimo data: 01.03.2026		
Laikas	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5
	KD	CO	NOx	SO2	BOA	HCL	HF	NH3	O2
	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	vol.%
	RV: 20	RV: 1500	RV: 500	RV: 400/900*	RV: 60	RV: 10/20*	RV: 1	RV: 30	
2026-02-01	6,51	185,18	414,37	233,35	15,85	9,98	0,3	1,69	14,52
2026-02-02	7,51	201,58	474,55	215,43	14,45	4,5	0,61	1,68	14,74
2026-02-03	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0
2026-02-04	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0
2026-02-05	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0
2026-02-06	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0
2026-02-07	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0
2026-02-08	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0
2026-02-09	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0
2026-02-10	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0
2026-02-11	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0
2026-02-12	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0
2026-02-13	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0
2026-02-14	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0
2026-02-15	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0
2026-02-16	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0
2026-02-17	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0
2026-02-18	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0
2026-02-19	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0
2026-02-20	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0
2026-02-21	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0
2026-02-22	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0	NVV 0
2026-02-23	NVV 5,48	NVV 254,83	NVV 386,86	NVV 304,56	NVV 16,82	NVV 6,71	NVV 0,23	NVV 1,58	13,65
2026-02-24	5,1	155,79	415,6	207,76	12,57	5,5	0,25	1,56	13,90
2026-02-25	6,09	193,49	412,23	246,15	15,79	3,4	0,08	1,52	13,92
2026-02-26	6,61	227,58	408,24	332,98	18,68	3,8	0,24	1,52	13,97
2026-02-27	5,87	226,42	410,44	353,85	18,22	4,32	0,06	1,49	13,82
2026-02-28	5,98	212,06	400,93	248,39	16,48	3,76	0,08	1,48	13,81
Min	5,1	155,79	386,86	207,76	12,57	3,4	0,06	1,48	13,65
Max	7,51	254,83	474,55	353,85	18,68	9,98	0,61	1,69	14,74
MAV	6,14	202,22	413,59	267,81	16,11	5,25	0,23	1,57	14,06
	kg/menesi	kg/menesi	kg/menesi	kg/menesi	kg/menesi	kg/menesi	kg/menesi	kg/menesi	
Emi	406,19	12678,24	26913,47	17914,88	1011,66	546,02	11,58	165,65	

Values daily averages - States (Legend):

1st - sign - Installation status
 G - Operation
 X - Installation stopped

SO2 RV-600 mg/Nm3 iki 2026-12-31



Akmenes Cementas		Diena (data):				31.03.2026		Spausdinimo data:		01.04.2026
Laikas	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5
	KD	CO	NOx	SO2	BOA	HCL	HF	NH3	O2	
	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	vol.%
	RV: 20	RV: 1500	RV: 500	RV: 400/900*	RV: 60	RV: 10/20*	RV: 1	RV: 30		
01.03.2026	6.07	219.39	345.33	258.36	16.22	3.11	0.01	1.52	13.87	
02.03.2026	6.23	247.95	316.29	278.21	15.87	3.38	0.1	1.47	13.67	
03.03.2026	6.32	247.6	292.68	292.66	16.57	3.01	0	1.48	13.79	
04.03.2026	6.61	213.21	425.61	324.56	17.51	3.17	0	1.58	14.08	
05.03.2026	6.91	225.82	363.09	381.08	18.05	3.25	0.04	1.59	14.22	
06.03.2026	6.31	190.79	430.35	318.4	16.07	6.6	0.53	1.49	13.79	
07.03.2026	6.31	185.63	373.95	225.14	17.83	7.29	0.87	1.5	13.86	
08.03.2026	6.35	235.63	363.89	206.38	23.73	5.43	>DL 1.64	1.54	14.09	
09.03.2026	6.13	224.34	429.86	238.66	24.48	8.88	>DL 1.74	1.51	13.87	
10.03.2026	6.1	209.8	422.53	230.41	21.95	9.12	1.34	1.47	13.78	
11.03.2026	6.27	203.42	397.54	225.15	21.27	7.22	0.55	1.52	13.94	
12.03.2026	6.4	202.23	396.75	261.6	20.09	6.34	0.7	1.67	13.98	
13.03.2026	6.64	198.23	423.75	260.26	19.45	5.2	0.49	1.58	14.1	
14.03.2026	6.65	200.69	422.51	248.97	20.31	5.51	1	1.52	13.99	
15.03.2026	6.44	211.51	344.33	257.37	23.66	10.25	>DL 2.17	1.52	13.91	
16.03.2026	7.26	214.9	295.71	257.35	23.58	9.59	>DL 2.01	1.53	13.99	
17.03.2026	9.48	214.86	354.73	315.79	24.14	>DL 16.28	>DL 1.6	5.25	13.97	
18.03.2026	6.84	221.07	408.48	351.38	23.38	>DL 13.28	>DL 2.54	1.63	14.45	
19.03.2026	6.25	232.04	362.57	432.67	23.01	>DL 12.26	>DL 2.71	1.57	14.01	
20.03.2026	6.39	229.63	323.4	402.16	23.24	>DL 17.8	>DL 1.69	1.55	14.04	
21.03.2026	6.95	252.4	364.78	376.6	29.24	8.47	>DL 2.38	1.55	14.02	
22.03.2026	6.74	265.19	339.4	383.41	29.59	6.31	0.91	1.49	13.8	
23.03.2026	6.25	258.23	382.27	423.72	28.63	7.08	0.73	1.48	13.6	
24.03.2026	6.31	230.06	407.61	417.72	21.5	7.93	0.73	1.54	13.92	
25.03.2026	6.01	234.03	358.96	385.18	21.12	7.08	0.98	1.49	13.76	
26.03.2026	6.57	232.95	355.74	430.85	20.41	5.88	0.57	1.52	13.86	
27.03.2026	7.15	221.39	429.25	414.91	20.16	5.88	0.42	1.57	14.02	
28.03.2026	6.95	225.84	363.04	392.82	19.47	4.39	0.07	1.54	14	
29.03.2026	7.21	219.92	402.08	416.45	19.31	9.03	0.18	1.63	14.03	
30.03.2026	6.55	216.51	396.69	397.77	19.09	8.19	0.3	1.51	13.87	
31.03.2026	6.83	216.14	377.01	393.72	18.34	8.24	0.26	1.53	13.95	
Min	6.01	185.63	292.68	206.38	15.87	3.01	0	1.47	13.6	
Max	9.48	265.19	430.35	432.67	29.59	17.8	2.71	5.25	14.45	
MAV	6.6	222.65	376.26	328.77	21.18	7.55	0.93	1.62	13.94	
	kg/menesi	kg/menesi	kg/menesi	kg/menesi	kg/menesi	kg/menesi	kg/menesi	kg/menesi		
Emi	1784.65	59078.61	99773.8	87627.36	5604.04	2011.49	245.43	487.04		

Values daily averages - States (Legend):

1st - sign - Installation status
 G - Operation
 X - Installation stopped

SO2 RV-600 mg/Nm³ iki 2026-12-31

*Neatitiktinės sąlygos (žaliavų malūno sustojimas):
 2026-03-17
 2026-03-18



Akmenes Cementas		Diena (data):				30.04.2026		Spausdinimo data:		01.05.2026
Laikas	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5	krosnis5
	KD	CO	NOx	SO2	BOA	HCL	HF	NH3	O2	
	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	mg/Nm ³	vol.%
	RV: 20	RV: 1500	RV: 500	RV: 400/900*	RV: 60	RV: 10/20*	RV: 1	RV: 30		
01.04.2026	7.31	212.73	395.27	437.32	18.11	9.86	0.67	1.52	13.84	
02.04.2026	7	221.77	367.67	392.01	18.25	5.98	0.3	1.55	13.99	
03.04.2026	7.13	232.67	348.45	421.01	18.7	5.85	0.12	1.83	13.94	
04.04.2026	7.16	227.35	375.46	435.8	19.23	7.27	0.21	1.71	13.89	
05.04.2026	7.86	233.8	356.99	422.19	19.33	5.74	0.1	1.54	13.94	
06.04.2026	8.63	249.22	359	411.8	18.88	5.42	0.15	1.5	13.85	
07.04.2026	9.45	244.96	362.88	421.95	18.68	7.43	0.47	1.51	13.91	
08.04.2026	10.58	239.29	426.44	415.95	18.53	7.74	0.2	1.58	14.16	
09.04.2026	17.45	235.12	351.22	544.8	20.25 >DL	16.03	INV	10.13	13.85	
10.04.2026	12.69	249.13	367.83	431.89	18.95	5.94	0.07	1.63	14.31	
11.04.2026	13.5	240.86	373.51	411.17	21.01	7.01	0.14	1.58	14.15	
12.04.2026	14.25	258.13	361.61	390.5	27.4	9.52	0.17	1.57	14.07	
13.04.2026	16.39	268.52	389.54	389.59	27.69	7.15	0.15	1.61	14.25	
14.04.2026	15.45	269.42	390.51	398.18	30.11	6.06	0.03	1.57	14.08	
15.04.2026	14.59	287.8	357.88	432.77	27.26	7.13	0.06	1.54	13.97	
16.04.2026	11.93	268.91	361.74	431.46	27.06	7.03	0.32	1.49	13.83	
17.04.2026	10.17	257.01	330.63	401.04	28.79	6.65	0.18	1.5	13.85	
18.04.2026	10.3	257.28	321.02	393.46	28.42	6.11	0.06	1.5	13.82	
19.04.2026	10.51	256.82	295.31	402.97	25.82	8.09	0.17	1.48	13.72	
20.04.2026	10.13	247.11	313.86	359.6	21.36	8.01	0.71	1.54	13.91	
21.04.2026	17.14	211.89	296.12	432.42	20.38 >DL	14.59	0.46	12.53	14.28	
22.04.2026	9.88	230.62	300.99	322.97	19.36	6.43	0.16	1.79	13.97	
23.04.2026	9.12	245.93	314.15	390.15	19.36	4.71	0.26	1.59	14.04	
24.04.2026	9.34	236.4	338.51	409.42	18.83	5.35	0.19	1.63	14.1	
25.04.2026	9.3	236.18	403.85	395.19	18.46	5.59	0.17	1.57	14.06	
26.04.2026	9.59	204.06	384.12	371.34	17.31	7.38	0.31	1.55	13.96	
27.04.2026	9.61	203.54	351.04	350.29	16.99	6.77	0.58	1.56	14.07	
28.04.2026	9.92	220.11	379.53	285.38	21.5	3.97	0.02	1.6	14.24	
29.04.2026	10.42	228.41	399.18	295.15	23.08	4.71	0.04	1.58	14.13	
30.04.2026	10.28	234.27	406.53	297.07	25.14	4.94	0.03	1.58	14.13	
2000-01-31										
Min	7	203.54	295.31	285.38	16.99	3.97	0.02	1.48	13.72	
Max	17.45	287.8	426.44	544.8	30.11	16.03	0.71	12.53	14.31	
MAV	10.72	240.92	360.72	393.67	21.81	7.14	0.23	1.95	14.01	
	kg/menesi	kg/menesi	kg/menesi	kg/menesi	kg/menesi	kg/menesi	kg/menesi	kg/menesi		
Emi	2862.94	61646.9	92019.14	102221.72	5611.98	1826.13	59.23	650.81		

Values daily averages - States (Legend):

1st - sign - Installation status
G - Operation
X - Installation stopped

SO2 RV-600 mg/Nm³ iki 2026-12-31

*Neatitiktinės sąlygos (žaliavų malūno sustojimas)
2026-04-09;
2026-04-21